
ecostrad



Opus iQ Infrared Heater

Ecostrad's range of Opus iQ infrared panels set the benchmark for modern comfort heating with their slim, stylish design and innovative controls. Each heater is WiFi ready from the moment it's set up with no extra accessories needed – just pair them to the Smart Life app and you can adjust your heating from anywhere in the world.











WiFi Distance Control


Smart Speaker Compatible

Wall & Ceiling Models Available

Just 25mm Deep

Energy Efficient Far Infrared

5 Year Warranty



- Comfortable Far Infrared Heat
- Elegant Frameless Design
- Quick DIY Installation
- WiFi Distance Control
- Recyclable Aluminium Housing
- Slimline 25mm Deep Body
- Alexa & Google Assistant Compatible
- Digital Thermostat Accurate to 0.5°C
- Insulated for Increased Efficiency

Technical Details

Materials	Frameless aluminium panel. Carbon crystal film element.				
Components	Temperature sensor supplied with every heater. Built-in receiver on reverse of panel. Works with Smart Life app.				
Colours	White (RAL 9003).				
Cable	1.9m with fitted plug.				
Installation	Models for wall or ceiling mounting are available. Wall models have a higher wattage and must not be ceiling mounted. It is possible to wall mount ceiling models, however output will be reduced.				
Fixings	Wall mounting fixtures are included with all panels. Ceiling mounting fixings for fixed or suspended fitting are available as an optional extra. Suitably-sized ceiling panels can also be fitted into a ceiling grid. This does not require additional fixings.				
Voltage	220 - 240V, 50Hz.				
Protection	IP54, Class I.				
Warranty	5 years on panel body, 1 year for built-in thermostat and accessories.				
Certifications	C e				

Opus iQ Models Available

Size	O606-IQ	O706-IQ	O1006-IQ	O1207-IQ	O1209-IQ	O606-IQC	O706-IQC	O1006- IQC	01207- IQC	O1209- IQC
SKU	12502006	12502007	12502008	12502009	12502010	12502011	12502012	12502013	12502014	12502015
Model	Wall	Wall	Wall	Wall	Wall	Ceiling	Ceiling	Ceiling	Ceiling	Ceiling
Colour	White	White	White							
Wattage (w)	350	450	580	900	1100	270	320	450	700	800
Width (mm)	595	705	1005	1205	1205	595	705	1005	1205	1205
Height (mm)	595	605	605	755	905	595	605	605	755	905
Depth (mm)	25	25	25	25	25	25	25	25	25	25
Fitted Depth (mm)	45	45	45	45	45	32	32	32	32	32
Product Weight (kg)	5.7	6.4	8.6	12.8	15.9	5.7	6.4	8.6	12.8	15.9
Room Size - Max (m²)*	7	9	11	18	22	5	6	9	14	16
Room Size - Min (m²)*	4	5	6	9	11	3	3	5	7	8

* Please note – stated heating areas are approximate, based on usage of the heater at full temperature capacity. If the internal temperature is set at a lower level, effective heating areas will be reduced.

Ceiling Mounting Kits

Size	ECMK	ESMK		
SKU	12502016	12502017		
Fitting	Fixed	Suspended		
Weight (kg)	1.17	1.17		
Components	4 x Brackets, 4 x Screws, 4 x Wall Plugs	4 x Panel Caps, 4 x Wire Caps, 4 x Ceiling Lock Screws, 4 x Ceiling Lock Heads, 4 x Long Screws, 4 x Short Screws, 4 x Expansion Plugs, 4 x Suspension Wires		